

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁵ : A23K 1/18, C12N 9/98	A1	(11) International Publication Number: WO 92/12645 (43) International Publication Date: 6 August 1992 (06.08.92)
(21) International Application Number: PCT/DK92/00026 (22) International Filing Date: 24 January 1992 (24.01.92) (30) Priority data: 134/91 25 January 1991 (25.01.91) DK (71) Applicant (for all designated States except US): NOVO NORDISK A/S [DK/DK]; Novo Allé, DK-2880 Bagsværd (DK). (72) Inventors; and (75) Inventors/Applicants (for US only) : JACOBSEN, Kim, Torben [DK/DK]; Martin Jensens Vej 7, Kildebrønde, DK-2670 Greve Strand (DK). JENSEN, Poul, Erik [DK/DK]; Latyrusvej 3, DK-3450 Allerød (DK). (74) Agent: NOVO NORDISK A/S; Patent Department, Novo Allé, DK-2880 Bagsværd (DK).		(81) Designated States: AT (European patent), BE (European patent), CH (European patent), DE (European patent), DK (European patent), ES (European patent), FR (European patent), GB (European patent), GR (European patent), IT (European patent), JP, LU (European patent), MC (European patent), NL (European patent), SE (European patent), US. Published <i>With international search report.</i>
(54) Title: USE OF AN ENZYME CONTAINING GRANULATE AND METHOD FOR PRODUCTION OF A PELLETIZED FODDER (57) Abstract An enzyme containing T-granulate which is coated with a coating agent comprising a high melting fat or wax, is used as a component of a mixture, which is well suited as a fodder if the mixture is steam treated and subsequently pelletized. In the method for production of a pelletized fodder a mixture of an enzyme containing T-granulate, which is coated with a coating agent comprising a high melting fat or wax, and fodder components, is steam treated and subsequently pelletized. Hereby the enzyme stability during pelletizing is considerably improved in comparison to the prior art uses and methods.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	FI	Finland	MI	Mali
AU	Australia	FR	France	MN	Mongolia
BB	Barbados	GA	Gabon	MR	Mauritania
BE	Belgium	GB	United Kingdom	MW	Malawi
BF	Burkina Faso	GN	Guinea	NI	Netherlands
BG	Bulgaria	GR	Greece	NO	Norway
BJ	Benin	HU	Hungary	PL	Poland
BR	Brazil	IE	Ireland	RO	Romania
CA	Canada	IT	Italy	RU	Russian Federation
CF	Central African Republic	JP	Japan	SD	Sudan
CG	Congo	KP	Democratic People's Republic of Korea	SE	Sweden
CH	Switzerland	KR	Republic of Korea	SN	Senegal
CI	Côte d'Ivoire	LI	Liechtenstein	SU	Soviet Union
CM	Cameroon	LK	Sri Lanka	TD	Chad
CS	Czechoslovakia	LU	Luxembourg	TC	Togo
DE	Germany	MC	Monaco	US	United States of America
DK	Denmark	MG	Madagascar		
ES	Spain				

USE OF AN ENZYME CONTAINING GRANULATE AND METHOD FOR PRODUCTION OF A PELLETIZED FODDER

The invention comprises a use of an enzyme containing granulate and a method for production of a pelletized fodder.

5 In the art comprising fodder it is described that the addition of enzymes to the fodder has a beneficial effect, vide e.g. Hesselman, K. and Åman P., The effect of β -glucanase on the utilization of starch and nitrogen by broiler chickens fed on barley of low- or high-viscosity. Animal Feed Science and Technology, 15 (1986) 83-93. Also, in the art comprising fodder it is a well known fact that pelletizing of the
10 fodder is a desideratum, as pelletizing of the fodder increases the digestibility of especially the starch fraction. Furthermore, pelletizing of the fodder reduces the dust, it makes the fodder easier to eat for the birds, and it makes it possible to incorporate small amounts of ingredients in the fodder and to "lock" the fodder mixture. In the process of producing fodder pellets it is considered necessary to heat treat the
15 fodder pellets in order to kill the Salmonella bacteria, whereby a heat treatment to around 80°C is appropriate. The enzymes are not stable at this high temperature, and thus, a large surplus of enzymes has to be used, or enzyme free fodder components have been pelletized and heat treated, whereafter an enzyme containing slurry or solution has been coated on the heat treated pellets. However, this coating
20 is cumbersome and is often not compatible with existing plants. Thus, there is a need for an enzyme containing fodder which can be produced easier and by means of existing fodder producing plants.

The art encompassing enzyme containing granulates produced as additives in detergents comprises a so-called T-granulate, produced as indicated in
25 US 4,106,991. A T-granulate which is coated with a wax, a triglyceride or other fat, is described in WO 89/08694, claims 12 and 1, EP 206,417, claims 17, 13, and 1, and US 4,707,287, claims 1 and 14 and column 9, example II.

This coated T-granulate has been produced by coating of the T-granulate by a triglyceride instead of the traditional PEG.

The above indicated, coated T-granulate is used as an additive in detergents, and to the best of applicant's knowledge this coated T-granulate has not been suggested for other uses than in the detergent field.

Surprisingly, according to the invention, it has now been found that the
5 above indicated T-granulate can be used as a component of a mixture, which can be converted to a fodder by treatment with steam and pelletizing without appreciable loss of enzyme activity, in contradistinction to the prior art, in relation to which an appreciable loss of enzyme activity will take place during steam treatment and pelletizing.

10 Thus, the use according to the invention of an enzyme containing T-granulate which is coated with a coating agent comprising a high melting fat or wax, is a use as a component of a mixture, which is well suited as a fodder if the mixture is steam treated and subsequently pelletized.

A T-granulate is a granulate produced according to US 4,106,991, i.e. a
15 granulate containing 2-40% finely divided cellulose fibres. Also, it is to be understood that the T-granulate contains one or more of the enzymes, which can be used as additives to fodders. As typical examples can be mentioned: proteases, e.g. from *Bacillus*, for instance *Bacillus licheniformis*, xylanases, cellulases, beta-glucanases, e.g. from *Bacillus*, *Humicola*, for instance *Humicola insolens*, or *Actinomycetes*,
20 pectinases, e.g. from *Aspergillus*, α -galactosidases, e.g. from *Aspergillus*, for instance *Aspergillus niger*, and amylases, e.g. from *Bacillus*, for instance *Bacillus subtilis*.

The coating agent comprises a high melting fat or wax. In this specification with claims a high melting fat is a glycerol ester (mono-, di- or triester
25 or a mixture thereof) with a melting point between 30 and 100°C, and a high melting wax is a waxy substance according to the definition in US 4,106,991, col. 3, lines 45-50, i.e. a substance which possesses all of the following characteristics: (1) the melting point is between 30° and 100°C, preferably between 40° and 60°C, (2) the substance is of tough and not brittle nature, and (3) the substance possesses
30 substantial plasticity at room temperature.

It appears from the applicant's EP 304,332 that the stability of the enzymes and the physical strength of the granules is improved, if a core is provided

with a coating of cellulose fibres, a binder, an enzyme, a filler and a waxy material. It appears from DK 161717 that β -glucanases or α -amylases can be stabilized by adhesion to a solid carrier; such preparations can be used as ingredients in granulated fodders. It also appears from DE 3,520,007 and GB 2,167,758 that 5 enzyme containing granulates can be coated with fats or waxes. On the basis of this prior art it apparently can be concluded that it is obvious that enzyme containing granulates coated with fat or wax in general are well suited as a component of a fodder mixture to be pelletized. This conclusion, however, is false, as it has been found that some enzyme containing granulates coated with fat or wax (e.g. fat 10 coated Bio-Feed Plus, later to be characterized) are not well suited as a component of a fodder mixture to be pelletized.

Thus it is surprising that the use according to the invention gives rise to a stable fodder, because it already belongs to the prior art that Bio-Feed Plus (fraction of wheat coated with enzymes), fat coated Bio-Feed Plus, T-granulate not 15 fat coated, and Cellulase P (prill enzyme preparation with high fat content) as a component of a mixture which is converted into a fodder does not give rise to a fodder with stable enzyme activity. These prior art phenomena will be documented later in this specification.

A preferred embodiment of the use according to the invention is 20 characterized by the fact that the coating agent comprises up to 80%, preferably 60-75% of a filler, which is a dry powder of any material, preferably an inorganic material, more preferably kaolin, magnesium silicate or calcium carbonate. Incorporation of the indicated filler into the coating agent in the amount indicated will reduce the tendency of the separate granules to adhere to each other and to the 25 granulating apparatus.

A preferred embodiment of the use according to the invention is characterized by the fact that the coating agent constitutes 1-95% w/w, preferably 15-35% w/w of the final, coated T-granulate. If an amount of coating agent below 1% w/w is used no satisfactory enzyme stability improvement is obtained, and if an 30 amount of coating agent above 95% is used, no further improvement of the enzyme stability is obtained.

A preferred embodiment of the use according to the invention is characterized by the fact that the T-granulate on top of the coating is coated once more with a polymeric material, preferably in a fluidized bed. In this manner the enzymatic stability is further improved.

5 Also the invention comprises a method for production of a pelletized fodder, and this method is characterized by the fact that a mixture of an enzyme containing T-granulate, which is coated with a coating agent comprising a high melting fat or wax, and fodder components, is steam treated and subsequently pelletized.

10 A preferred embodiment of the method according to the invention is characterized by the fact that the coating agent comprises up to 80%, preferably 60-75% of a filler, which is a dry powder of any material, preferably an inorganic material, more preferably kaolin, magnesium silicate or calcium carbonate. Incorporation of the indicated filler into the coating agent in the amount indicated will
15 reduce the tendency of the separate granules in the T-granulate to adhere to each other and to the granulating apparatus.

A preferred embodiment of the method according to the invention is characterized by the fact that the coating agent constitutes 1-95% w/w, preferably 15-35% w/w of the final, coated T-granulate. If an amount of coating agent below 1%
20 w/w is used no satisfactory enzyme stability improvement is obtained, and if an amount of coating agent above 95% is used, no further improvement of the enzyme stability is obtained.

A preferred embodiment of the method according to the invention is characterized by the fact that the T-granulate on top of the coating is coated once
25 more with a polymeric material, preferably in a fluidized bed. In this manner the enzymatic stability is further improved.

The following examples illustrate the invention.

Example 1 illustrates the use and the method according to the invention.

Example 2 illustrates a further advantage of the use according to the
30 invention in relation to *in vivo* conditions.

EXAMPLE 1

This example illustrates the use according to the invention and the method according to the invention, in comparison to the prior art most related thereto.

5 The enzyme containing T-granulate related to both the use according to the invention and the method according to the invention is produced in the following manner, the granulate being identified as Bio-Feed Plus T.

The powder components for 20 kg of granulate are the following:

10 2.0 kg of cellulose ARBOCEL BC 200
 13.6 kg of ground sodium sulfate
 0.6 kg of carbohydrate binder
 1.2 kg of chalk

The above components are mixed in a 50 liter Lödige mixer, with heating to 35°C. The mixing time is 2 minutes at a mixing velocity of the mixer paddles of 145 rpm and a knife rotating velocity of 3000 rpm.

Under the above indicated conditions 6.4 kg of liquid cellulase concentrate (dry matter 40%, cellulase activity 764 EGU/g, the EGU activity unit being defined in AF-275, is sprinkled on the mixture. The sprinkling is performed by means of an atomizing nozzle and with a sprinkling time of around 6 minutes.

20 Subsequently the wet mixture is subjected to a further granulation for 2 minutes, until uniform sphere or lens formed granulates are obtained.

The humid granulate is dried in a fluid bed at an inlet temperature of 60°C, until a water content of less than 3% is obtained.

The particle size distribution of the dry granulate was:

5	> 1200 μm	9.5%
	> 1000 μm	15.3%
	> 850 μm	23.8%
	> 707 μm	36.3%
	> 600 μm	51.1%
	> 500 μm	66.4%
	> 420 μm	73.8%
	> 300 μm	88.9%
	< 250 μm	3.7%

10 The activity loss was less than 5%.

Subsequently the dry granulate is coated with a total of 20 weight-% of hydrogenated beef tallow and 15.5 weight-% of magnesium silicate, in the following manner. The dry, raw granulate is heated to 65°C, and subsequently 5 weight-% of hydrogenated beef tallow heated to 70°C is applied thereto, and thereafter 5.17% of
15 magnesium silicate is applied thereto. These operations are repeated until the total amounts of hydrogenated beef tallow and magnesium silicate are added.

Then the granulate is cooled. Now the granulate is ready for use.

The following enzyme containing granulates representing the prior art most related to the invention were used as comparison granulates.

- 20 1) Bio-Feed Plus. This is a granulate consisting of a fraction of wheat coated with enzymes. Reference can be made to the brochure B402c-GB 1500 October 1990.
- 2) Bio-Feed Plus, tallow coated. This is Bio-Feed Plus coated with hydrogenated beef tallow in an amount of 20%
- 25 3) Cellulase T. This is a T-granulate with a fungal beta-glucanase and a cellulase, manufactured as indicated above in relation to the manufacture of Bio-Feed Plus T, except for the fact that the coating is omitted
- 4) Cellulase P. This is a prill product with a fungal beta-glucanase and a cellulase. This product is prepared by mixing a melted fat with the spray dried enzymes.
- 30 The mixture of melted fat and the spray dried enzymes is sprayed into a chilled air stream, whereby the fat solidifies as droplets, whereby the enzymes are encapsulated in the fat. Reference can be made to the brochure B 495a-GB July 1989.

These four reference granulates and the granulate used according to the invention were used for production of a pelletized fodder as follows.

The composition of the fodder for small pigs were the following.

5 7% fish meal
 15% soy bean flakes
 62% wheat
 10% barley
 2% animal fat
 minerals + vitamins

10 The animal fat was industrial waste fat.

 The minerals + vitamins were added in the following amounts, calculated on 1 g of fodder:

15 50 µg of Olaquinox
 100 µg of Toyocerin
 16 i.u. of vitamin A
 2 i.u. of vitamin D₃
 130 µg of vitamin E
 4 µg of vitamin B₂
 20 µg of nicotinic acid
20 15 µg of D-pantothenic acid
 0.02 µg of vitamin B₁₂
 0.2 µg of biotin
 2 µg of vitamin B₁
 2 µg of vitamin B₆
25 2 µg of vitamin K₃
 100 µg choline chloride
 25 µg Mn (manganese)
 234 µg Fe (iron)
 163 µg Cu (copper)
30 200 µg Zn (zinc)
 0.3 µg J (iodine)
 0.3 µg Se (selenium)

The first four components of the above fodder for small pigs were mixed in a mill on a sieve with apertures of 2.0 mm, and then mixed with the two last 35 components of the above fodder for small pigs in a 2500 liter horizontal mixer. The

finished meal mixture was used for the experiments in a pilot plant with batches of 100 kg.

In each experiment 10 kg of the above finished meal was mixed with 2 kg of any of the above indicated five granulates for 10 minutes in order to produce a premix. Then 88 kg of the above finished meal was mixed with the 12 kg of premix, thereby producing 100 kg of a mixture to be pelletized. The pelletizing procedure was performed at 70°C and with direct steam injection to a weight increase of 4%. The pelletizing process lasted for 25-30 seconds. Subsequently the pellets were cooled down to ambient temperature, and the pelletized product is now stable in regard to enzyme activity. The loss of enzyme activity takes place exclusively during the pelletizing process.

Determinations of residual activity were now carried out in regard to the five different pelletized materials. The results appear from the following table, in which FBG is fungal beta-glucanase, vide AF 70.1/2-GB.

15		Enzyme granulate in fodder pellets	% residual FBG activity
Prior 20 art		Bio-Feed Plus	75
		Bio-Feed Plus, tallow coated	75
		Cellulase T	< 30
		Cellulase P	50
Invention		Bio-Feed Plus T	90-100

It clearly appears from the above table that the use and the method according to the invention is superior to the prior art uses and methods most closely related to the invention.

EXAMPLE 2

This example illustrates an additional advantage of the use according to the invention compared to a traditionally used enzyme containing product, when used in a fodder for pigs.

Most enzymes are labile in acid environment and/or under the influence of proteolytic activity. Thus when adding enzymes to animal fodder a significant loss of enzyme activity can often be expected after ingestion, when subjected to gastric conditions.

5 To achieve the optimal benefit of the added enzymes a good survival of enzyme activity from the gastric environment is necessary to prolong the effect of the enzymes over the gastro-intestinal tract.

In the two feeding experiments in this example the technique of reentrant cannulation of a grown pig of approx. 50 kg was used. Reference can be made to
10 Horszczaruk. F. et al., "Roczniki nauk Rolniczych" 95 B4, 69-77 (1974) and Rainbird, A.L. et al., British Journal of Nutrition (1984), 52, 89-498, Effect of guar gum on glucose and water absorption from isolated loops of jejunum in conscious growing pigs.

This technique enables the estimation of the survival of enzyme activity
15 after ingestion and passing through part of the gastro-intestinal tract of the pig.

The enzyme containing coated T-granulate was produced as indicated in US patent 4,106,991 by mixing sodium sulphate, cellulose, kaolin and dextrin in a high energy Lödige Mixer whereafter a liquid enzyme concentrate which was previously adjusted to approx. 700 EGU/g was sprayed onto the mixture whereby
20 the proportions of sodium sulphate, cellulose, kaolin, dextrin and enzyme dry matter corresponds to the figures indicated below, and the amount of added water was just enough to generate correct granulation consistency and particle size distribution (reference being made to US 4,106,991, col. 2, lines 8-12).

After granulation the product was transferred to a fluidized bed and dried
25 with hot air to reduce the water content to 1.0% (w/w).

In the T-granulate thus produced the percentage concentration (w/w) of the above dry ingredients were as follows:

	Sodium sulphate	71.0%
	cellulose	8.9%
30	kaolin	3.0%
	dextrin	5.0%
	enzyme dry matter	11.1%

After drying the T-granulate was fractionated by sieving to a particle size between 300 μm and 1180 μm with respect to the particle diameter.

The T-granulate was then coated in a coating mixer by spraying with hydrogenated beef tallow and a filler, which is a premixed blend of equal parts of kaolin and calcium carbonate, in an alternate fashion. The coating was performed as follows. First (in percentage of the uncoated T-granulate) 4% (w/w) of hydrogenated beef tallow was sprayed onto the mix, followed by addition of 12.5% (w/w) of the filler. This was followed by an analogous coating with 4% (w/w) hydrogenated beef tallow and 12.5% of the filler. A final coating with 1.5% hydrogenated beef tallow concluded the coating procedure.

After the coating the warm coated T-granulate was cooled in a fluidized bed with air at ambient temperature. During this process fines were removed.

The cooled enzyme containing coated T-granulate was finally fractionated by sieving to secure a particle size of between 300 μm and 1180 μm .

The composition of the enzyme free fodder used in the feeding experiments was:

Oat bran:	67.71% (w/w)
Toasted soy flakes:	15.00% (w/w)
Wheat starch:	15.09% (w/w)
Vitamin/mineral mix:	2.20% (w/w)

Formally, the uses and the methods described in this example are not inside the scope of the invention, because the fodder is not pelletized. However, due to the fact that a comparison is made between a coated T-granulate, which can be used according to the invention, and a granulate, which cannot be used according to the invention, the example will demonstrate an advantage of the use and method according to the invention over the prior art.

The reentrant cannulated pig which was used in the experiments was in both cases fed with a total of 610 g dry fodder as described above, mixed with 1525 g of water, as a single meal. Two enzyme preparations were investigated: 1) "Bio-Feed Plus, coated T-granulate" produced as described above (according to the

invention), and 2) "Bio-Feed Plus", a traditional product where the enzyme is coated onto a manna grit carrier (prior art). Reference is made to the brochure B 402c-GB 1500, October 1990.

In the first experiment 9.15 g of "Bio-Feed Plus, coated T-granulate" was also added to the fodder and in the second experiment 6.1 g of "Bio-Feed Plus" was also added to the fodder, whereby the different gravimetric dosages correspond to equal dosages of enzyme activity.

In both cases the enzyme products were first mixed with the water and then mixed thoroughly with the dry fodder to ensure a homogenous mixture.

10 A small representative sample of this mixture was removed and freeze dried for later determination of enzyme activity in the fodder.

In these experiments the reentrant cannula was placed in the pig's small intestine approx. 3 m distal to the pancreatic gland.

Beginning immediately after the ingestion by the animal of the full amount 15 of the fodder the total intestinal content was continuously collected from the open cannula in separate pools. From each pool a representative sample of 15% was collected and freeze dried for later analysis. Then the remaining intestinal content after being heated to 40°C was pumped back to the intestine through the other half of the reentrant cannula.

20 After analyzing the specific beta-glucanase, pentosanase and xylanase activity in the samples obtained as described above the total survival of these exogenic enzyme activities can be calculated.

Before analysis the samples were extracted in the relevant buffer for each analysis by mixing 1 part of sample with 4 parts of buffer and stirring vigorously for 25 30 minutes. Subsequently the samples were centrifuged for 10 minutes at 3000 rpm, and the supernatant removed for analysis.

Glucanase activity was determined according to the procedure AF 295/1-GB type feed.

Xylanase activity was determined according to the procedure AF 293.6.1-30 GB.

Pentosanase activity was determined according to the procedure AF 284/1-GB.

The results of the analysis is shown in the following table, which shows the total accumulated enzyme activity reaching the cannula in the small intestine eight hours after the feeding, indicated in percentage of the enzyme activity in the feed mix ingested by the animal.

5		Residual Glucanase Activity (%)	Residual Xylanase Activity (%)	Residual Pentosanase Activity (%)
	Bio-Feed Plus, coated T-granulate	52	50	60
10	Bio-Feed Plus	28	27	38

It is thus surprisingly found that the residual glucanase, xylanase, and pentosanase activity in the first part of the pig's small intestine is significantly higher according to the invention than according to the prior art.

15 The brochures and the AF documents referred to above are obtainable on request from Novo Nordisk A/S, Novo Allé, DK-2880 Bagsvaerd, Denmark.

CLAIMS

1. Use of an enzyme containing T-granulate which is coated with a coating agent comprising a high melting fat or wax, as a component of a mixture, which is well suited as a fodder if the mixture is steam treated and subsequently pelletized.
- 5 2. Use according to Claim 1, wherein the coating agent comprises up to 80%, preferably 60-75% of a filler, which is a dry powder of any material, preferably an inorganic material, more preferably kaolin, magnesium silicate or calcium carbonate.
3. Use according to Claim 1 or 2, wherein the coating agent constitutes 1-10 95% w/w, preferably 15-35% w/w of the final, coated T-granulate.
4. Use according to Claims 1 - 3, wherein the T-granulate on top of the coating is coated once more with a polymeric material, preferably in a fluidized bed.
5. Method for production of a pelletized fodder, wherein a mixture of an enzyme containing T-granulate, which is coated with a coating agent comprising a15 high melting fat or wax, and fodder components, is steam treated and subsequently pelletized.
6. Method according to Claim 5, wherein the coating agent comprises up to 80%, preferably 60-75% of a filler, which is a dry powder of any material, preferably an inorganic material, more preferably kaolin, magnesium silicate or20 calcium carbonate.

7. Method according to Claims 5 - 6, wherein the coating agent constitutes 1-95% w/w, preferably 15-35% w/w of the final, coated T-granulate.
8. Method according to Claims 5 - 7, wherein the T-granulate on top of the coating is coated once more with a polymeric material, preferably in a fluidized bed.

INTERNATIONAL SEARCH REPORT

International Application No **PCT/DK 92/00026**

I. CLASSIFICATION OF SUBJECT MATTER (If several classification symbols apply, indicate all) ⁶ According to International Patent Classification (IPC) or to both National Classification and IPC IPC5: A23 K 1/18, C 12 N 9/98																	
II. FIELDS SEARCHED <div style="text-align: right; font-size: small;">Minimum Documentation Searched⁷</div> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%; border: none; vertical-align: top;"> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 20%; padding: 2px;">Classification System</td> <td style="padding: 2px;">Classification Symbols</td> </tr> <tr> <td style="padding: 5px;">IPC5</td> <td style="padding: 5px;">A 23 K; C 12 N</td> </tr> </table> </td> <td style="border: none;"></td> </tr> </table>			<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 20%; padding: 2px;">Classification System</td> <td style="padding: 2px;">Classification Symbols</td> </tr> <tr> <td style="padding: 5px;">IPC5</td> <td style="padding: 5px;">A 23 K; C 12 N</td> </tr> </table>	Classification System	Classification Symbols	IPC5	A 23 K; C 12 N										
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 20%; padding: 2px;">Classification System</td> <td style="padding: 2px;">Classification Symbols</td> </tr> <tr> <td style="padding: 5px;">IPC5</td> <td style="padding: 5px;">A 23 K; C 12 N</td> </tr> </table>	Classification System	Classification Symbols	IPC5	A 23 K; C 12 N													
Classification System	Classification Symbols																
IPC5	A 23 K; C 12 N																
Documentation Searched other than Minimum Documentation to the Extent that such Documents are included in Fields Searched ⁸ SE,DK,FI,NO classes as above																	
III. DOCUMENTS CONSIDERED TO BE RELEVANT⁹ <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 10%; padding: 2px;">Category *</th> <th style="width: 70%; padding: 2px;">Citation of Document,¹¹ with indication, where appropriate, of the relevant passages¹²</th> <th style="width: 20%; padding: 2px;">Relevant to Claim No.¹³</th> </tr> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">Y</td> <td style="padding: 5px;">WO, A1, 8908694 (NOVO INDUSTRI A/S) 21 September 1989, see claims 1,6,10,14 --</td> <td style="text-align: center; vertical-align: top; padding: 5px;">1-3,6-7</td> </tr> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">Y</td> <td style="padding: 5px;">DE, A1, 3520007 (MITSUI TOATSU CHEMICALS, INC.) 5 December 1985, see page 9, line 11; page 12, line 22 - line 24; claim 1 --</td> <td style="text-align: center; vertical-align: top; padding: 5px;">1-3,6-7</td> </tr> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">Y</td> <td style="padding: 5px;">EP, A1, 0113626 (SANDERS, SOCIÉTÉ ANONYME DITE) 18 July 1984, see page 1, line 5; page 1, line 33 - page 2, line 30 --</td> <td style="text-align: center; vertical-align: top; padding: 5px;">1-3,6-7</td> </tr> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">A</td> <td style="padding: 5px;">EP, A2, 0304332 (NOVO INDUSTRI A/S) 22 February 1989, see page 2, line 33; claim 1 --</td> <td style="text-align: center; vertical-align: top; padding: 5px;">1-8</td> </tr> </table>			Category *	Citation of Document, ¹¹ with indication, where appropriate, of the relevant passages ¹²	Relevant to Claim No. ¹³	Y	WO, A1, 8908694 (NOVO INDUSTRI A/S) 21 September 1989, see claims 1,6,10,14 --	1-3,6-7	Y	DE, A1, 3520007 (MITSUI TOATSU CHEMICALS, INC.) 5 December 1985, see page 9, line 11; page 12, line 22 - line 24; claim 1 --	1-3,6-7	Y	EP, A1, 0113626 (SANDERS, SOCIÉTÉ ANONYME DITE) 18 July 1984, see page 1, line 5; page 1, line 33 - page 2, line 30 --	1-3,6-7	A	EP, A2, 0304332 (NOVO INDUSTRI A/S) 22 February 1989, see page 2, line 33; claim 1 --	1-8
Category *	Citation of Document, ¹¹ with indication, where appropriate, of the relevant passages ¹²	Relevant to Claim No. ¹³															
Y	WO, A1, 8908694 (NOVO INDUSTRI A/S) 21 September 1989, see claims 1,6,10,14 --	1-3,6-7															
Y	DE, A1, 3520007 (MITSUI TOATSU CHEMICALS, INC.) 5 December 1985, see page 9, line 11; page 12, line 22 - line 24; claim 1 --	1-3,6-7															
Y	EP, A1, 0113626 (SANDERS, SOCIÉTÉ ANONYME DITE) 18 July 1984, see page 1, line 5; page 1, line 33 - page 2, line 30 --	1-3,6-7															
A	EP, A2, 0304332 (NOVO INDUSTRI A/S) 22 February 1989, see page 2, line 33; claim 1 --	1-8															
<div style="display: flex; justify-content: space-between; font-size: small;"> <div style="width: 45%;"> <p>* Special categories of cited documents: ¹⁰</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> </div> <div style="width: 45%;"> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance, the claimed invention cannot be considered novel or cannot be considered to involve an inventive step</p> <p>"Y" document of particular relevance, the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.</p> <p>"&" document member of the same patent family</p> </div> </div>																	
IV. CERTIFICATION <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; border: none; vertical-align: top;"> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 100%; padding: 2px;">Date of the Actual Completion of the International Search</td> </tr> <tr> <td style="padding: 5px;">21st April 1992</td> </tr> </table> </td> <td style="width: 50%; border: none; vertical-align: top;"> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 100%; padding: 2px;">Date of Mailing of this International Search Report</td> </tr> <tr> <td style="padding: 5px; text-align: center;">1992 -04- 27</td> </tr> </table> </td> </tr> <tr> <td style="border: none; vertical-align: top;"> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 100%; padding: 2px;">International Searching Authority</td> </tr> <tr> <td style="padding: 5px; text-align: center;">SWEDISH PATENT OFFICE</td> </tr> </table> </td> <td style="border: none; vertical-align: top;"> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 100%; padding: 2px;">Signature of Authorized Officer</td> </tr> <tr> <td style="padding: 5px;"> Inga-Karin Petersson </td> </tr> </table> </td> </tr> </table>			<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 100%; padding: 2px;">Date of the Actual Completion of the International Search</td> </tr> <tr> <td style="padding: 5px;">21st April 1992</td> </tr> </table>	Date of the Actual Completion of the International Search	21st April 1992	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 100%; padding: 2px;">Date of Mailing of this International Search Report</td> </tr> <tr> <td style="padding: 5px; text-align: center;">1992 -04- 27</td> </tr> </table>	Date of Mailing of this International Search Report	1992 -04- 27	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 100%; padding: 2px;">International Searching Authority</td> </tr> <tr> <td style="padding: 5px; text-align: center;">SWEDISH PATENT OFFICE</td> </tr> </table>	International Searching Authority	SWEDISH PATENT OFFICE	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 100%; padding: 2px;">Signature of Authorized Officer</td> </tr> <tr> <td style="padding: 5px;"> Inga-Karin Petersson </td> </tr> </table>	Signature of Authorized Officer	Inga-Karin Petersson			
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 100%; padding: 2px;">Date of the Actual Completion of the International Search</td> </tr> <tr> <td style="padding: 5px;">21st April 1992</td> </tr> </table>	Date of the Actual Completion of the International Search	21st April 1992	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 100%; padding: 2px;">Date of Mailing of this International Search Report</td> </tr> <tr> <td style="padding: 5px; text-align: center;">1992 -04- 27</td> </tr> </table>	Date of Mailing of this International Search Report	1992 -04- 27												
Date of the Actual Completion of the International Search																	
21st April 1992																	
Date of Mailing of this International Search Report																	
1992 -04- 27																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 100%; padding: 2px;">International Searching Authority</td> </tr> <tr> <td style="padding: 5px; text-align: center;">SWEDISH PATENT OFFICE</td> </tr> </table>	International Searching Authority	SWEDISH PATENT OFFICE	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 100%; padding: 2px;">Signature of Authorized Officer</td> </tr> <tr> <td style="padding: 5px;"> Inga-Karin Petersson </td> </tr> </table>	Signature of Authorized Officer	Inga-Karin Petersson												
International Searching Authority																	
SWEDISH PATENT OFFICE																	
Signature of Authorized Officer																	
Inga-Karin Petersson																	

III. DOCUMENTS CONSIDERED TO BE RELEVANT (CONTINUED FROM THE SECOND SHEET)		
Category	Citation of Document, with indication, where appropriate, of the relevant passages	Relevant to Claim No
A	GB, A, 2167758 (SHOWA DENKO KABUSHIKI KAISHA) 4 June 1986, see claims 1,3,6 --	1-8
A	EP, A2, 0257996 (SUOMEN SOKERI OY) 2 March 1988, see claim 1 --	1-8
A	EP, A2, 0276781 (SHOWA DENKO KABUSHIKI KAISHA) 3 August 1988, see page 4, line 47 - line 48; claim 1 -- -----	1-8

**ANNEX TO THE INTERNATIONAL SEARCH REPORT
ON INTERNATIONAL PATENT APPLICATION NO. PCT/DK 92/00026**

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report. The members are as contained in the Swedish Patent Office EDP file on 28/02/92. The Swedish Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO-A1- 8908694	89-09-21	EP-A- 0404806	91-01-02
		JP-T- 3503423	91-08-01
		WO-A- 89/08695	89-09-21
DE-A1- 3520007	85-12-05	AU-B- 577381	88-09-22
		AU-D- 4310385	85-12-12
		CH-A-B- 665532	88-05-31
		FR-A-B- 2565101	85-12-06
		GB-A- 2160096	85-12-18
		JP-B- 1040007	89-08-24
		JP-C- 1554249	90-04-04
		JP-A- 60258111	85-12-20
		NL-A- 8501588	86-01-02
		US-A- 4713245	87-12-15
		JP-B- 1040008	89-08-24
		JP-A- 60258112	85-12-20
		JP-B- 3031423	91-05-07
		JP-A- 61037054	86-02-21
EP-A1- 0113626	84-07-18	AU-B- 567322	87-11-19
		AU-D- 2454784	85-08-22
		DE-A- 3378323	88-12-01
		FR-A-B- 2537991	84-06-22
EP-A2- 0304332	89-02-22	JP-A- 1112983	89-05-01
GB-A- 2167758	86-06-04	AU-B- 579410	88-11-24
		AU-D- 4850885	86-04-17
		CA-A- 1242663	88-10-04
		JP-A- 61092570	86-05-10
		US-A- 4740469	88-04-26
EP-A2- 0257996	88-03-02	JP-A- 63157938	88-06-30
EP-A2- 0276781	88-08-03	AU-B- 599197	90-07-12
		AU-D- 1072488	88-07-28
		JP-A- 63181953	88-07-27
		US-A- 4842863	89-06-27

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☒ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.